

05-2000

A

03/17/00

jc113 U.S. PTO

PATENT APPLICATION TRANSMITTAL LETTER
(Small Entity)

Docket No.
40827.00039

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

Mason Ng, Daniel J. Mendez and Sean M. Quinlan

For: **SYSTEM AND METHOD FOR AUTOMATICALLY FORWARDING EMAIL AND EMAIL EVENTS VIA A COMPUTER NETWORK TO A SERVER COMPUTER**

Enclosed are:


- ☒ Certificate of Mailing with Express Mail Mailing Label No. **EL515155926US**
- ☒ **11 informal** sheets of drawings.
- ☐ A certified copy of a _____ application.
- ☒ Declaration ☐ Signed. ☒ Unsigned.
- ☒ Power of Attorney } *Combined*
- ☐ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☒ **1 signed** Verified Statement(s) to Establish Small Entity Status Under 37 C.F.R. 1.9 and 1.27.
- ☒ Other: **General Authorization/Request to Petition for Extensions of Time**

CLAIMS AS FILED

| For | #Filed | #Allowed | #Extra | Rate | Fee |
|--|--------|----------|--------|-----------|----------|
| Total Claims | 14 | - 20 = | 0 | x \$9.00 | \$0.00 |
| Indep. Claims | 14 | - 3 = | 11 | x \$39.00 | \$429.00 |
| Multiple Dependent Claims (check if applicable) <input type="checkbox"/> | | | | | \$0.00 |
| BASIC FEE | | | | | \$345.00 |
| TOTAL FILING FEE | | | | | \$774.00 |

- ☐ A check in the amount of _____ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **05-0150** as described below. A duplicate copy of this sheet is enclosed.
 - ☒ Charge the amount of **\$774.00** as filing fee.
 - ☒ Credit any overpayment.
 - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: **March 17, 2000**


Signature

Marc A. Sockol, Reg. No. 40,823
Attorney for Applicants
Graham & James LLP
600 Hansen Way
Palo Alto, CA 94304-1043
Tel: (650) 856-6500
Fax: (650) 856-3619

cc:

jc530 U.S. PTO
09/528363
03/17/00

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) AND 1.27 (c)) - SMALL BUSINESS CONCERN**Docket No.
40827.00039

Serial No.

Unassigned

Filing Date

Unassigned

Patent No.

Issue Date

Applicant/ Patentee: **Mason Ng, Daniel J. Mendez and Sean M. Quinlan**Invention: **SYSTEM AND METHOD FOR AUTOMATICALLY FORWARDING EMAIL AND EMAIL EVENTS
VIA A COMPUTER NETWORK TO A SERVER COMPUTER**

I hereby declare that I am:

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN: Visto CorporationADDRESS OF CONCERN: 1937 Landings Drive, Mountain View, CA 94043

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the above identified invention described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above.
☐ the patent identified above.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed on the next page and no rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

LOCATION: 6508563619

P08/REV01

Patent and Trademark Office-U.S. DEPARTMENT OF COMMERCE

RX TIME 03/17 '00 11:56

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern or organization exists.
- ☐ each such person, concern or organization is listed below.

| | |
|-----------|---|
| FULL NAME | _____ |
| ADDRESS | _____ |
| | <input type="checkbox"/> Individual <input type="checkbox"/> Small Business Concern <input type="checkbox"/> Nonprofit Organization |
| FULL NAME | _____ |
| ADDRESS | _____ |
| | <input type="checkbox"/> Individual <input type="checkbox"/> Small Business Concern <input type="checkbox"/> Nonprofit Organization |
| FULL NAME | _____ |
| ADDRESS | _____ |
| | <input type="checkbox"/> Individual <input type="checkbox"/> Small Business Concern <input type="checkbox"/> Nonprofit Organization |
| FULL NAME | _____ |
| ADDRESS | _____ |
| | <input type="checkbox"/> Individual <input type="checkbox"/> Small Business Concern <input type="checkbox"/> Nonprofit Organization |

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: Kristin Campbell

TITLE OF PERSON SIGNING _____

OTHER THAN OWNER: Senior Director of Finance

ADDRESS OF PERSON SIGNING: 1937 Landings Drive
Mountain View, CA 94043

SIGNATURE: x  DATE: x 3/17/00

**APPLICATION FOR
UNITED STATES PATENT
IN THE NAME**

of

MASON NG, DANIEL J. MENDEZ AND SEAN M. QUINLAN

for

**SYSTEM AND METHOD FOR AUTOMATICALLY FORWARDING
EMAIL AND EMAIL EVENTS VIA A COMPUTER NETWORK
TO A SERVER COMPUTER**

DOCKET NO. 40827.00039

Please direct communications to:

GRAHAM & JAMES LLP

600 Hansen Way

Palo Alto, CA 94304-1043

(650) 856-6500

Express Mail Number: EL515155926US

SYSTEM AND METHOD FOR AUTOMATICALLY FORWARDING EMAIL AND
EMAIL EVENTS VIA A COMPUTER NETWORK TO A SERVER COMPUTER

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

 This invention relates generally to computer networks, and more particularly relates to automatic data forwarding via a computer network to a server computer.

 2. Description of the Background Art

10 Data accessibility and consistency are significant concerns of computer users. For example, when a user maintains multiple computer sites, e.g., a work site and a home site, a user risks having redundant versions of a document or an email. If one of the redundant copies is modified, then the copies become effectively inconsistent. If the user fails to notice any inconsistency, interparty miscommunication or data loss may result.

15 The user must then spend substantial time attempting to reconcile the inconsistent versions and addressing any miscommunications.

 Data inconsistency is often caused when the redundant copies of the document or email are maintained on different sites, and when one or more of the redundant copies is inaccessible. For example, if one of versions is maintained on a computer site that is
20 protected by a network security system such as a conventional firewall, e.g., the work computer site, the security system may prevent the user from accessing the copy. Without access to all computer sites, the user is unable to confirm that the version on an accessible site is the most recent draft.

 The problems of data inconsistency and inaccessibility arise in the area of
25 electronic mail (email). For example, a user might maintain email databases at a work computer site and at a home computer site. Based on the security systems implemented, a traveling user currently working from a remote terminal may not have access rights to the work computer site or the necessary dedicated application programs to pass the intranet security. Thus, the user may not be able to review the email maintained at the
30 work computer site and thus cannot read or respond to work emails until returning to work. Still further, when maintaining several accessible sites, the traveling user is

burdened to maintain a record of all procedures and passwords to overcome the security system of each site.

These problems are further exacerbated when using email programs from different vendors and which implement different protocols. For example, the Netscape NavigatorTM e-mail client and the Outlook ExpressTM email client each manage email across computer networks. However, each email client uses different formats, stores emails in different files and implements different protocols. Thus, the emails are not readily interchangeable.

Therefore, a system and method are needed for providing users with email consistency and accessibility across a computer network.

SUMMARY

A network system includes a server computer system coupled via a computer network to a client computer system, to an email computer system, and to a remote computer system. The server computer system downloads an email forwarding engine to the client computer system for enabling the email forwarding functionality on the client computer system. On the client computer system, the email forwarding engine examines start criteria, determines whether the start criteria have been met, obtains new email and/or email events from an email database, and forwards the new email and/or email events to the server computer system. The server computer system maintains them in a database. The email forwarding engine includes a filter for examining the email and/or email events against filter control data to determine the data to transfer and the desired transfer protocols. The server computer system stores an independently modifiable copy of user preferences, e.g., start criteria, stored on the client computer system to enable remote modification of the user preferences. In accordance with a configuration-check schedule, the client computer system determines whether any changes to the independently modifiable copy of the user preferences has been made, and if so modifies its copy of the user preferences.

A first method embodiment comprises examining start criteria; determining whether the start criteria have been met; obtaining new email events from an email database after the start criteria have been met; and forwarding information corresponding to the new email events via a computer network to a database.

A second method embodiment comprises establishing a communications channel with a client computer system; receiving information corresponding to new email events from the client computer system; and storing the information corresponding to the new email events in a database.

A third method embodiment comprises obtaining filter control data; examining email data against the filter control data; determining at least one transfer protocol for the email data based on the examination; and forwarding the email data according to the at least one transfer protocol via a computer network to a database.

A fourth method embodiment comprises obtaining filter control data; examining email data against the filter control data; determining based on the examination the email

data that should not be forwarded; generating receipt data identifying the email data that should not be forwarded; and forwarding the receipt data via a computer network to a database.

5 A fifth method embodiment comprises storing user preferences on a client computer system; storing an independently modifiable copy of the user preferences on a server computer system coupled via a computer network to the client computer system; examining, by the client computer system, a configuration-check schedule; determining, by the client computer system, whether a configuration check has been scheduled; establishing, by the client computer system if a configuration check has been scheduled, a
10 communications channel with the server computer system; determining whether any changes to the independently modifiable copy of the user preferences stored on the server computer system have been made; and modifying, if any changes have been made to the independently modifiable copy, the user preferences stored on the client computer system according to the changes made.

15 A sixth method embodiment comprises storing on a server computer system an independently modifiable copy of user preferences stored on a client computer system, the server computer system coupled via a computer network to the client computer system; enabling modification of the independently modifiable copy of the user preferences on the server computer system; establishing a communications channel with
20 the client computer system; and providing any changes made since a last configuration check to the client computer system.

A seventh method embodiment comprises providing website information offering email forwarding functionality to client computer systems; enabling the client computer systems to request the email forwarding functionality to be downloaded; receiving a
25 request for the email forwarding functionality from a requesting client computer system; and downloading an email forwarding engine to the requesting client computer system for enabling the email forwarding functionality on the requesting client computer system.

A first system embodiment comprises a client configuration engine for determining whether start criteria have been met; a retrieval engine, coupled to the client
30 configuration engine, for retrieving email events from an email database; and a data

transmitter, coupled to the retrieval engine, for forwarding information corresponding to the new email events via a computer network to a database.

A second system embodiment comprises a server database manager for establishing a communications channel with a client computer system, for receiving
5 information corresponding to new email events from the client computer system, and for storing the information corresponding to the new email events in a database.

A third system embodiment comprises a filter for examining email data against filter control data, and for determining at least one transfer protocol for the email data based on the examination; and a data transmitter, coupled to the filter, for forwarding the
10 email data according to the at least one transfer protocol via a computer network to a database.

A fourth system embodiment comprises a filter for examining email data against filter control data, and determining based on the examination the email data that should not be forwarded; a receipt generator, coupled to the filter, for generating receipt data
15 identifying the email data that should not be forwarded; and a data transmitter, coupled to the filter, for forwarding the receipt data via a computer network to a database.

A fifth system embodiment comprises a client configuration engine for storing user preferences on a client computer system, for storing an independently modifiable copy of the user preferences on a server computer system that is coupled via a computer
20 network to the client computer system, for examining a configuration-check schedule to determine whether a configuration check has been scheduled, for determining whether any changes to the independently modifiable copy have been made, and for modifying the user preferences stored on a client computer system according to the changes made to the independently modifiable copy; and a communications engine, coupled to the client
25 configuration engine, for establishing a communications channel with the server computer system if a configuration check has been scheduled.

A sixth system embodiment comprises a database for storing an independently modifiable copy of user preferences stored on a client computer system, the server computer system coupled via a computer network to the client computer system; a server
30 configuration engine for enabling modification of the independently modifiable copy of the user preferences on the server computer system, for establishing a communications

channel with the client computer system, and for providing any changes made since a last configuration check to the client computer system.

5 A seventh system embodiment comprises website information offering email forwarding functionality to client computer systems; an email forwarding engine, coupled to the website information, for enabling the email forwarding functionality on the client computer systems; and a web server for enabling the client computer systems to request the email forwarding functionality to be downloaded, and for downloading the email forwarding engine to a requesting client computer system.

10 The system and method advantageously use a trusted third party to maintain email and email events within a network system. Accordingly, a user who maintains for example a work site, a home site and the global server site can forward email and email events to the trusted third party from all three sites. The roaming user can thus access and reply to all emails from all three sites while away. Because the system and method operate over the Internet, emails and email events can be forwarded over any distance.

15 Since the system and method include email format translation, merging emails between different application programs and different platforms is possible. Further, because email and/or email events are forwarded from within a firewall and uses commonly enabled protocols such as HyperText Transfer Protocol (HTTP), the typical firewall which prevents in-bound communications in general and some outbound protocols does not act

20 as an impediment. Since the user preferences are set, the present system and method may operate unattended by the client user. The server computer can maintain a complete record of all emails and email events, so that evidence of the occurrence of non-occurrence of email and events can be maintained. The email system enables the safe transfer of emails and/or email events possibly using encryption or receipt generation.

25 The email system enables emails and/or email events not to be forwarded. The email system enables the filtration and transfer protocols of the emails and/or events to be set by the user based on user preferences such as security level, author, recipients, content, etc.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A is a block diagram illustrating a network system, in accordance with an embodiment of the present invention;

FIG. 1B is a block diagram illustrating details of an example computer system of
5 FIG. 1;

FIG. 2 is a block diagram illustrating details of the email system of FIG. 1;

FIGs. 3A and 3B are a block diagram illustrating details of the email forwarding engine of FIG. 1; and

FIGs. 4A-4C are a flowchart illustrating a method of installing the email
10 forwarding engine on a client computer system, in accordance with an embodiment of the present invention;

FIGs. 5A and 5B are a flowchart illustrating a method of forwarding emails from a client computer system across a computer network to a server computer system, in accordance with an embodiment of the present invention; and

15 FIG. 6 is a flowchart illustrating a method of checking whether there has been remote modification of the user preferences, in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The following description is provided to enable any person skilled in the art to make and use the invention, and is provided in the context of a particular application and its requirements. Various modifications to the embodiments will be readily apparent to those skilled in the art, and the generic principles defined herein may be applied to other embodiments and applications without departing from the spirit and scope of the invention. Thus, the present invention is not intended to be limited to the embodiments shown, but is to be accorded the widest scope consistent with the principles, features and teachings disclosed herein.

FIG. 1A is a block diagram illustrating a network system 100, in accordance with an embodiment of the present invention. The network system 100 includes a server computer system 105 coupled via a computer network 110 to a client computer system 115, to an email server computer system 120, and to a remote computer system 122. It will be appreciated that the computer network 110 may include the wide-area network commonly referred to as "the Internet" and may include one or more local-area networks commonly referred to as "intranets."

The server computer system 105 includes a web server 125, an email system 130 and a server database 135. The web server 125 includes program code, hardware and/or firmware for presenting web pages managed by the server computer system 105, and for responding to browser requests from a client computer system 115. That is, the web server 125 receives data from a browser 140 operating on a client computer system 115, and transmits data to the browser 140 operating on a client computer system 115.

The email system 130 includes program code, hardware and/or firmware for enabling a user on a client computer system 115 to request email forwarding functionality to be added to the client computer system 115, for providing program code to install and enable email and/or email event forwarding on the client computer system 115, and for managing email data (e.g., email and/or email events) forwarded from the client computer system 115. Details of the email system 130 are described in greater detail with reference to FIG. 2.

The server database 135 includes a data structure, which maintains emails and/or email events being forwarded from the client computer system 115. The server database

135 may include multiple data structures for storing multiple sets of emails and/or email events from multiple client computer systems 115. The structure of the server database 135 is maintained by the email system 130.

The client computer system 115 includes a browser 140, an email client 145,
5 email and/or email events (illustrated as "email/events") 150, and, if already installed, an email forwarding engine 155. The browser 140 includes program code, hardware and/or firmware for enabling a client computer system 115 to communicate via the computer network 110 with web servers 125 operated on server computer systems 105, and for presenting information from websites maintained by the web server 125. Examples of
10 browsers 140 include the Netscape Navigator™ browser by the Netscape Communications Corporation and the Internet Explorer™ browser by the Microsoft Corporation.

The email client 145 includes program code, hardware and/or firmware for communicating with an email server 160 maintained on the mail server computer system
15 120. The email client 145 acts as the interface to conventional email functionality, enabling a user to make conventional requests such as retrieving, writing, reading, forwarding, replying, deleting, etc. Email 150 includes email downloaded from the email server 160, email created and sent from the client computer system 115, etc. Email events 150 includes transaction information such as created email, read email, deleted
20 email, forwarded email, deleted without reading, etc. The email and/or email events 150 preferably does not include an email that has been trashed, e.g., dragged to the trash and the trash emptied, but preferably does include the trashing event.

The email forwarding engine 155 includes program code, hardware and/or firmware for providing the email forwarding functionality to the client computer system
25 115. The email forwarding engine 155 is preferably downloaded from the server computer system 105, although it may be obtained in several other ways, e.g., uploaded from a CD-ROM or floppy disk, received as an attachment in an email, written, received from any other network site, etc. The email forwarding engine 155 preferably obtains all emails and/or email events 150 and 165 not yet forwarded to the server computer system
30 105, and forwards them upon satisfaction of predetermined criteria such as the expiration

of a time limit or occurrence of a predetermined event. Details of the email forwarding engine 155 are described in FIGs. 3A and 3B.

The email server computer system 122 includes an email server 160 and email and/or email events (illustrated as "email/events") 165. The email server 160 includes
5 program code, hardware and/or firmware for managing email received from the computer network 110, for storing them as email 165, for forwarding the email to the appropriate client computer systems 115, and for maintaining a log of email events such as forwarded email from the client computer system to the computer network 110, forwarded email to the client computer system from the computer network 110, etc. Upon request by the
10 email client 145, the email server 160 forwards the email 165 to the email client 145, preferably deletes the email 165 stored thereon, and logs the email events as email and/or email events 165. As stated above, the email client 145 stores the retrieved email 165 as email and/or email events 150. Upon request by the email forwarding engine 155, the email server 160 forwards copies of email and/or email events 165 to the email
15 forwarding engine 155 and preferably does not delete its copies of the emails 165.

The remote computer system 122 may be an untrusted computer system being operated by a traveling user. The remote computer system 122 includes a browser 170 for enabling the traveling user to access and retrieve emails and email events from the server database 135 managed by the email system 130 on the server computer system
20 125.

It will be appreciated that the server computer system 105, the client computer system 115, the email server computer system 120 and the remote computer system 122 may each be a single computer or multiple computers networked together. Further, it will be appreciated that portions of the program code, hardware and/or firmware on each
25 computer system may be maintained on different computers. Still further, it will be appreciated that the server database 135, the email and/or email events 150 and the email and/or email events 165 need not be stored on the same computer as the program code, hardware and/or firmware that is managing or manipulating it.

30 FIG. 1B is a block diagram illustrating details of a computer system 175, wherein each of the server computer system 105, the client computer system 115, the email server

computer system 120 and the remote computer system 122 is a specific example thereof. The computer system 175 includes a processor 177, such as an Intel Pentium[®] microprocessor or a Motorola Power PC[®] microprocessor, coupled to a communications channel 183. The computer system 175 further includes an input device 179 such as a
5 keyboard or mouse, an output device 181 such as a cathode ray tube display, a communications device 185, permanent storage 187 such as a magnetic disk, and working memory 189 such as Random-Access Memory (RAM), each coupled to the communications channel 183. The communications interface 185 may be coupled to the computer network 110. One skilled in the art will recognize that, although the permanent
10 storage 187 and working memory 189 are illustrated as different unit, the permanent storage 187 and working memory 189 can be parts of the same unit or units on different computer systems.

One skilled in the art will recognize that the computer system 175 may also include additional information, such as network connections, additional memory,
15 additional processors, LANs, input/output lines for transferring information across a hardware channel, the Internet or an intranet, etc. One skilled in the art will also recognize that the program code and data may be received by and stored in the computer system 175 in alternative ways. For example, a computer-readable storage medium (CRSM) reader 191 such as a magnetic disk drive, hard disk drive, magneto-optical
20 reader, CPU, etc. may be coupled to the communications channel 183 for reading a computer-readable storage medium (CRSM) 193 such as a magnetic disk, a hard disk, a magneto-optical disk, RAM, etc. Accordingly, the system 175 may receive program code and data via the CRSM reader 191. Further, it will be appreciated that the term
25 “memory” herein is intended to cover all data storage media whether permanent or temporary.

FIG. 2 is a block diagram illustrating details of the email system 130. The email system 130 includes website information 205, a pre-check engine 210, an email forwarding engine 215, an identification engine 220, a server configuration engine 225,
30 and a server database manager 230.

The website information 205 includes program code (e.g., applets, scripts, HTML, etc.) and/or data that the web server 125 provides to browsers 140 accessing the appropriate webpage. The website information 205 may include descriptions of the email forwarding functionality and the multiple versions available. The website information
5 205 may also include the buttons and button functionality for requesting the email forwarding functionality to be downloaded to the requesting client computer system 115.

The pre-check engine 210 includes program code such as ActiveX™ controls, applets, HTML, script, etc., which when provided to the browser 140 is automatically executed. The pre-check engine 210 determines whether the client computer system 115
10 has a satisfactory version of the email forwarding engine 215 already installed. For example, the pre-check engine 210 may be configured to examine whether the email forwarding engine 210 already installed thereon includes all the necessary modules to conduct satisfactory email and/or email event forwarding. If the email forwarding engine 215 is too antiquated or non-existent, the pre-check engine 210 will instruct the web
15 server 125 to download the latest version of the email forwarding engine 215. Otherwise, the pre-check engine 210 will instruct the web server 125 to present website information 205 informing the user that the version installed thereon is still satisfactory.

The email forwarding engine 215 includes program code, hardware and/or firmware for providing the email functionality described above with reference to FIG.
20 1A. That is, the email forwarding engine 215 self-installs, determines whether certain start criteria have been met, and, if so, retrieves newly received or created emails and/or email events. The email forwarding engine 215 determines the sensitivity of the email or email event, and forwards the emails, email events or a message (e.g., receipt confirmation) corresponding to the emails and/or email events to the server computer
25 system 105 for storage. Details of the email forwarding engine 215 are provided in and with reference to FIGs. 3A and 3B.

The identification engine 220 includes program code, hardware and/or firmware for communicating with the email forwarding engine 155 on the client computer system 115 to provide it with an ID and password for communicating with the server computer
30 system 105. The identification engine 220 may alternatively provide any identification

and authentication technique such as certificates, public and private key cryptography, single-key two-way encryption, etc.

5 The server configuration engine 225 includes program code, hardware and/or firmware for obtaining client configuration information including the processor type and speed, the communication protocols, etc. and for obtaining user preferences including preferred start criteria and filter data. The server configuration engine 225 also provides remote control of user preferences. For example, a user can access the server configuration engine 225 from the remote computer system 122, and request different start criteria for the email forwarding engine on the client computer system 115. The email forwarding engine 155 includes program code, hardware and/or firmware that
10 contacts the server computer system 105 to check if user preferences have changed. If so, the email forwarding engine 155 will change its preferences, e.g., the start criteria. The user preferences may also include the configuration-check schedule. Remote control of user preferences by the server configuration engine 225 is described in greater detail in and with reference to FIGs. 3A and 3B.
15

The server database manager 230 includes program code, hardware and/or firmware for receiving emails and/or email events 150 and 165 from the client computer system 115, and for storing them in the server database 135. The server database manager 230 preferably maintains the emails and email events in separate sub-folders, and both in a folder corresponding to the user. If requested, the server database manager
20 230 may divide the emails or email events into sub-sub-folders corresponding to user defined preferences. For example, the user may opt to have emails further divided into sub-sub-folders corresponding to the sites from which they were forwarded, corresponding to the sender, corresponding to their sensitivity, etc.

25 FIGs. 3A and 3B are a block diagram illustrating details of the email forwarding engine 155 on the client computer system 115. The email forwarding engine 155 includes an automatic installation engine 305, a client configuration engine 310, an email and/or email event retrieval engine 315 (illustrated as "email/event retrieval engine"), email server libraries and protocol 320, a tagging engine 325, a format converter 330, a
30

communications engine 335, a filter 345, a data transmitter 350, an encryption engine 355, a receipt generator 360 and a user interface 365.

The automatic installation engine 305 includes program code, hardware and/or firmware for automatically installing the remaining components of the email forwarding engine 155 to provide the email forwarding functionality described above with reference to FIGs. 1A and 2. The automatic installation engine 305 preferably uses conventional installation protocols. The automatic installation engine 305 preferably causes the email forwarding engine 155 to initiate each time the client computer system is booted up, either by placing it as a start-up file or making arrangements with the scheduler on the client computer system 115.

The client configuration engine 310 includes program code, hardware and/or firmware for obtaining system configuration information such as processor type and speed, RAM available, etc. and for enabling the user to select preferences. Selecting preferences may include selecting start criteria, such as every fifteen minutes, every day at a particular time, after a predetermined event, e.g., receipt of an email or an expected email, etc. The user preferences may be initially set to defaults. The client configuration engine 310 uses the communications engine 335, described below, to establish a communications channel with the server computer system 105, and forwards the configuration information and user selected preferences to the server configuration engine 225 of the email system 130, which stores the information.

After the start criteria have been met, the client configuration engine 310 contacts the server configuration engine 225 to determine whether the user selected preferences have been modified remotely. Alternatively, the client configuration engine 310 may check whether the start criteria have been modified remotely, in accordance with a schedule independent from the start criteria, i.e., in accordance with a configuration-check schedule. Accordingly, if the user selected preferences, e.g., the start criteria, have been modified, the client configuration engine 310 modifies the user selected preferences, and determines whether the new start criteria have been met. If so, the client configuration engine 310 initiates the email and/or email event retrieval engine 315. Otherwise, the client configuration engine 310 returns to waiting. Similarly, if other user preferences, e.g., filter control data described below, the client configuration engine 310

modifies those user preferences. In another embodiment, the filter control data may not be remotely modifiable. It will be further appreciated that the configuration-check schedule may also be configured to be modified remotely.

The email and/or email event retrieval engine 315 includes program code,
5 hardware and/or firmware for retrieving new email (received from the computer network 110) and email events (such as received email, forwarded email to client computer system 115, forwarded email to the computer network 110, etc.) 165 from the email server computer system 120. The retrieval engine also include program code, hardware and/or firmware for retrieving new email (created at the client computer system 115 or
10 received from the email server computer system 120) and email events (such as created email, forwarded email, replied to email, trashed email, etc.) 150. It will be appreciated that the retrieval engine 315 may communicate with the email client 145 to retrieve email and/or email events 150, and to act as a proxy to the email server 160 to retrieve email and/or events 165 from the email server computer system 120. Alternatively, the
15 retrieval engine 315 may obtain the information directly from their storage locations.

The retrieval engine 315 uses the email server libraries and protocol 320 either to communicate directly with the email server 160, to retrieve the email 165 directly, to communicate with the email client 145, or to retrieve the email 165 and/or email events 150 directly. For example, the email server libraries and protocol 320 include the
20 libraries and protocol for communicating with a variety of different email server formats such as MAPI and the POP3.

The tagging engine 325 includes program code, hardware and/or firmware for identifying the emails and/or email events 150 and 165 that are being forwarded to the server computer system 105. The tagging engine 325 preferably maintains the date and
25 time of the last email and/or email event 150 and 165 at least to the second, and possible to the millisecond. The retrieval engine can compare all emails and/or email events 150 and 165 against this date and time to determine which are new and which have already been forwarded.

The format converter 330 includes program code, hardware and/or firmware for
30 converting emails and/or email events 150 and 165 to a common format, e.g., MIME. Not all email server computer systems 120 operate using the same format. Accordingly,

a format converter 330 may be used to forward format converted emails and/or email events 150 and 165 to the server computer system 105 in a single format.

5 The communications engine 335 includes program code, hardware and/or firmware for establishing a communications channel with the email system 130. The communications engine 335 includes an ID and password 340 which identifies and authenticates the email forwarding engine 155, and thus the user. The communications engine 335 may use secure connection techniques such as SSL, encryption, private and public key cryptography, etc. The communications engine 335 enables the other components of the email forwarding engine 155 to communicate with the components the
10 email system 130.

The filter 345 includes program code, hardware and/or firmware for examining the email and/or email events 150 and 165 that are scheduled to be forwarded to the server computer system 105 against the user preferences (e.g., filter control data), and for
15 determining what data will actually be forwarded. For example, if an email contains sensitive information, a user may prefer not to have it forwarded, to have it forwarded using secure means or to have only a portion forwarded. Similarly, the user may prefer only to have emails from select individuals forwarded. Thus, in accordance with the filter control data, the filter 345 may examine the recipient list, the sender list, the email content, or the like in accordance with the filter control data to control what gets
20 forwarded and how. For example, a user may specify in the filter control data that, if an email contains the word "confidential," "privileged," "sensitive," etc., then only a confirmation of receipt (not the email) should be forwarded. The user may also specify that, if the email is from "John Smith," then the email should be sent using encryption. The user may also specify that, if the email has been sent to at least one recipient having
25 an email address in a public site such as "yahoo" or "hotmail," then the email can be sent without encryption regardless. The filter 345 operates on email and email events similarly.

The data transmitter 350 includes program code, hardware and/or firmware for transmitting the data that the filter 345 allowed or generated. The transmitter 350 may
30 use conventional message packets transfer techniques, handshaking protocols, etc. to transfer the data.

The encryption engine 350 includes program code, hardware and/or firmware for encrypting messages being transmitted to the server computer system 105. The encryption engine 350 may operate with the communications engine 335 when encrypting all messages. The encryption engine 350 may operate with the data transmitter 350 when encrypting all messages, or when transmitting only messages specified by the filter 345 to be encrypted. The encryption engine 350 preferably uses conventional techniques such as public and private key cryptography or two-way single-key encryption.

The receipt generator 360 includes program code, hardware and/or firmware for operating with the filter 345 to generate a confirmation of receipt of an email and/or email event 150 or 165 to be forwarded in lieu of the actual email and/or email event 150 or 165.

The user interface 365 includes program code, hardware and/or firmware to enable the user to set user preferences and other information.

FIGs. 4A-4C are a flowchart illustrating a method 400 of automatically installing the email forwarding functionality, in accordance with an embodiment of the present invention. The method 400 begins with the browser 140 in step 405 receiving a request from a user to access a particular website managed by the server computer system 105. The web server 125 in step 410 presents website information 205 including the email forwarding functionality option to the user. In response to a user request, the browser 140 in step 415 selects the option.

The web server 125 in step 420 provides the pre-check engine 210 to the browser 140. The browser 140 in step 425 executes (or interprets) the pre-check engine 210 to determine whether the client computer system 110 already has a satisfactory version of the email forwarding engine 155 installed thereon. If so, then the pre-check engine 210 in step 435 informs the user, and method 400 then ends. Otherwise, the web server 125 in step 440 downloads the latest version of the email forwarding engine 155 to the client computer system 115.

In step 445, the browser 140 initiates execution of the automatic installation engine 305, which installs the remaining components of the email forwarding engine 155

on the client computer system 115. The client configuration engine 310 in step 450 enables the user to select or set preferences (e.g., start criteria, filter control data, configuration-check schedule and other information), in step 455 obtains any client configuration information (e.g., processor type and speed, connection type and speed, etc.) and in step 460 establishes a communications channel with the server computer system 105. The client configuration engine 310 in step 465 forwards any user preferences and client configuration information to the server computer system 105.

The identification engine 220 in step 470 sends an ID and password (or other identification and authentication information) to the client configuration engine 310, which in step 475 installs the ID and password in the communications engine 335 of the email forwarding engine 155. The automatic installation engine 305 in step 485 places the email forwarding engine 155 as a start-up file, makes arrangement with the scheduler to start the email forwarding engine 155 upon boot up, or any other equivalent technique. Method 400 then ends.

FIGs. 5A and 5B are a flowchart illustrating a method 500 of forwarding email and/or email events, in accordance with an embodiment of the present invention. Method 500 begins with the client computer system 115 in step 505 initiating execution or interpretation of the email forwarding engine 155. The client configuration engine 510 in steps 510 and 515 determines whether predetermined start criteria have been met. If the criteria have not been met, then the client configuration engine 510 returns to step 510.

If the criteria have been met, then the email and/or email event retrieval engine 320 in step 520 retrieves new email and/or email events 150 and 165 from the client computer system 115 and from the email server computer system 120. The filter 345 in step 525 reviews the emails and/or email events 150 and 165 retrieved against filter control data to determine the "security" level of the information, the data to transmit and the transfer protocols. For example, the user may have specified that, if an email message retrieved includes the word "privileged," then the email should be encrypted and then forwarded. As another example, the user may have specified that, if the email and/or email event was with "John Smith," then nothing about the transaction should be forwarded. As yet another example, the user may have specified that, if an email

transaction remained only within the local network of the workplace, only a receipt identifying the transaction should be forwarded. Based on the filter control data, the filter 345 determines what data to transmit and how to transmit it.

The format converter 330 in step 530 converts, if necessary, any email and/or email events to the proper email format. For example, if an email is in the RTF format, but all email on server computer system 105 is maintained in MIME format, the format converter 330 converts the email from the RTF format to the MIME format.

The communications engine 335 in step 535 uses the ID and password 340 to establish a communications channel with the email system 130. The tagging engine 325 in step 540 records which emails and/or events are being forwarded, preferably, by maintaining the date and time of the last email and/or event being forwarded to the nearest millisecond. The data transmitter 350 in step 545 transmits the data to transfer, as determined by the filter 345, according to the transfer protocols, also as determined by the filter 345, to the email system 130. The data transmitter 350 uses encryption engine 355 to encrypt messages labeled for encryption and the receipt generator 360 to generate receipts, as needed. The server database manager 230 in step 550 stores the transferred data in the server database 135. Method 500 then ends.

FIG. 6 is a flowchart illustrating a method 500 of checking whether there has been a remote modification of user preferences. Method 500 begins with the client configuration engine 310 in step 605 examining a configuration-check schedule. The configuration-check schedule may be a default schedule that defines the times when the client configuration engine 310 should check for remote changes to the user preferences. Alternatively, the configuration-check schedule may be user defined in the user preferences. In step 610, the client configuration engine 310 determines whether a check has been scheduled. If not, then the method 600 returns to step 605.

If a check has been scheduled, then the communications engine 335 in step 615 uses the ID and password 340 to establish a communications channel with the server configuration engine 225 on the server computer system 105. The client configuration engine 310 in steps 620 and 625 communicates with the server configuration engine 225 to determine if any remote changes to the user preferences have been made. These

changes may include changes to the start criteria and changes to the configuration-check schedule. If not, then method 600 ends. Otherwise, the client configuration engine 310 in step 630 modifies the user preferences on the client computer system 115. Method 600 then ends.

5

The foregoing description of the preferred embodiments of the present invention is by way of example only, and other variations and modifications of the above-described embodiments and methods are possible in light of the foregoing teaching. For example, although the server computer, client computer and email server computer are each
10 illustrated as a single device, each may include several computers networked together. Although the network sites are being described as separate and distinct sites, one skilled in the art will recognize that these sites may be a part of an integral site, may each include portions of multiple sites, or may include combinations of single and multiple sites. Further, components of this invention may be implemented using a programmed general
15 purpose digital computer, using application specific integrated circuits, or using a network of interconnected conventional components and circuits. Connections may be wired, wireless, modem, etc. The embodiments described herein are not intended to be exhaustive or limiting. The present invention is limited only by the following claims.

WHAT IS CLAIMED IS:

- 1 1. A method, comprising:
2 examining start criteria;
3 determining whether the start criteria have been met;
4 obtaining new email events from an email database after the start criteria have
5 been met; and
6 forwarding information corresponding to the new email events via a computer
7 network to a database.
- 1 2. A system stored on a computer-readable medium, comprising:
2 a client configuration engine for determining whether start criteria have been met;
3 a retrieval engine, coupled to the client configuration engine, for retrieving email
4 events from an email database; and
5 a data transmitter, coupled to the retrieval engine, for forwarding information
6 corresponding to the new email events via a computer network to a database.
- 1 3. A method, comprising:
2 establishing a communications channel with a client computer system;
3 receiving information corresponding to new email events from the client
4 computer system; and
5 storing the information corresponding to the new email events in a database.
- 1 4. A system stored on a computer-readable medium, comprising:
2 a server database manager for establishing a communications channel with a
3 client computer system, for receiving information corresponding to new email events
4 from the client computer system, and for storing the information corresponding to the
5 new email events in a database.

- 1 5. A method, comprising:
2 obtaining filter control data;
3 examining email data against the filter control data;
4 determining at least one transfer protocol for the email data based on the
5 examination; and
6 forwarding the email data according to the at least one transfer protocol via a
7 computer network to a database.
- 1 6. A system stored on a computer-readable medium, comprising:
2 a filter for examining email data against filter control data, and for determining at
3 least one transfer protocol for the email data based on the examination; and
4 a data transmitter, coupled to the filter, for forwarding the email data according to
5 the at least one transfer protocol via a computer network to a database.
- 1 7. A method, comprising:
2 obtaining filter control data;
3 examining email data against the filter control data;
4 determining based on the examination the email data that should not be
5 forwarded;
6 generating receipt data identifying the email data that should not be forwarded;
7 and
8 forwarding the receipt data via a computer network to a database.
- 1 8. A system stored on a computer-readable medium, comprising:
2 a filter for examining email data against filter control data, and determining based
3 on the examination the email data that should not be forwarded;
4 a receipt generator, coupled to the filter, for generating receipt data identifying the
5 email data that should not be forwarded; and
6 a data transmitter, coupled to the filter, for forwarding the receipt data via a
7 computer network to a database.

1 9. A method, comprising:
2 storing user preferences on a client computer system;
3 storing an independently modifiable copy of the user preferences on a server
4 computer system coupled via a computer network to the client computer system;
5 examining, by the client computer system, a configuration-check schedule;
6 determining, by the client computer system, whether a configuration check has
7 been scheduled;
8 establishing, by the client computer system if a configuration check has been
9 scheduled, a communications channel with the server computer system;
10 determining whether any changes to the independently modifiable copy of the
11 user preferences stored on the server computer system have been made; and
12 modifying, if any changes have been made to the independently modifiable copy,
13 the user preferences stored on the client computer system according to the changes made.

1 10. A system stored on a computer-readable medium, comprising:
2 a client configuration engine for storing user preferences on a client computer
3 system, for storing an independently modifiable copy of the user preferences on a server
4 computer system that is coupled via a computer network to the client computer system,
5 for examining a configuration-check schedule to determine whether a configuration
6 check has been scheduled, for determining whether any changes to the independently
7 modifiable copy have been made, and for modifying the user preferences stored on a
8 client computer system according to the changes made to the independently modifiable
9 copy; and
10 a communications engine, coupled to the client configuration engine, for
11 establishing a communications channel with the server computer system if a
12 configuration check has been scheduled.

1 11. A method, comprising:
2 storing on a server computer system an independently modifiable copy of user
3 preferences stored on a client computer system, the server computer system coupled via a
4 computer network to the client computer system;
5 enabling modification of the independently modifiable copy of the user
6 preferences on the server computer system;
7 establishing a communications channel with the client computer system; and
8 providing any changes made since a last configuration check to the client
9 computer system.

1 12. A system stored on a computer-readable medium, comprising:
2 a database for storing an independently modifiable copy of user preferences
3 stored on a client computer system, the server computer system coupled via a computer
4 network to the client computer system;
5 a server configuration engine for enabling modification of the independently
6 modifiable copy of the user preferences on the server computer system, for establishing a
7 communications channel with the client computer system, and for providing any changes
8 made since a last configuration check to the client computer system.

1 13. A method, comprising:
2 providing website information offering email forwarding functionality to client
3 computer systems;
4 enabling the client computer systems to request the email forwarding functionality
5 to be downloaded;
6 receiving a request for the email forwarding functionality from a requesting client
7 computer system; and
8 downloading an email forwarding engine to the requesting client computer system
9 for enabling the email forwarding functionality on the requesting client computer system.


1 14. A system stored on a computer-readable medium, comprising:
2 website information offering email forwarding functionality to client computer
3 systems;
4 an email forwarding engine, coupled to the website information, for enabling the
5 email forwarding functionality on the client computer systems; and
6 a web server for enabling the client computer systems to request the email
7 forwarding functionality to be downloaded, and for downloading the email forwarding
8 engine to a requesting client computer system.

SYSTEM AND METHOD FOR AUTOMATICALLY FORWARDING EMAIL AND
EMAIL EVENTS VIA A COMPUTER NETWORK TO A SERVER COMPUTER

ABSTRACT OF THE DISCLOSURE

5 A network system includes a server computer system coupled via a computer network to a client computer system, to an email computer system, and to a remote computer system. The server computer system downloads an email forwarding engine to the client computer system for enabling the email forwarding functionality on the client computer system. On the client computer system, the email forwarding engine examines
10 start criteria, determines whether the start criteria have been met, obtains new email and/or email events from an email database, and forwards the new email and/or email events to the server computer system. The server computer system maintains them in a database. The email forwarding engine includes a filter for examining the email and/or email events against filter control data to determine the data to transfer and the desired
15 transfer protocols. The server computer system stores an independently modifiable copy of user preferences, e.g., start criteria, stored on the client computer system to enable remote modification of the user preferences. In accordance with a configuration-check schedule, the client computer system determines whether any changes to the independently modifiable copy of the user preferences has been made, and if so modifies
20 its copy of the user preferences.

Network
System
100



Example Computer System

175




FIG. 1B

↙ Email
System
130




FIG. 2




FIG. 3A

Email
Forwarding
Engine




FIG. 3B




FIG. 4A

Installation
400




FIG. 4B

Installation
400




FIG. 4C




FIG. 5A




FIG. 5B

Configuration
Check
600




FIG. 6

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY

DOCKET NO.: 40827.00039

As a below named inventor, I hereby declare that:

The information given herein is true:

My residence, post office address and citizenship are as stated below next to my name;
 I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL,
 FIRST AND JOINT INVENTOR (if plural names are listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND
 FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:

**SYSTEM AND METHOD FOR AUTOMATICALLY FORWARDING EMAIL AND EMAIL EVENTS
 VIA A COMPUTER NETWORK TO A SERVER COMPUTER**

the specification of which (check only one item below):

- ☒ is attached hereto;
☐ was filed on _____ as United States
 Application Serial No. _____
 and was amended on _____ (if applicable).
☐ was filed on _____ as PCT International
 Application Serial No. _____
 and was amended under PCT Article 19 _____ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations Section 1.56(a).

I hereby claim the benefit under Title 35, United States, §119(e) of any United States provisional application(s) listed below.

(Application Serial No.)

(Filing Date)

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America having a filing date before that of the application(s) on which priority is claimed.

FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 (6 if a Design) MONTHS PRIOR TO THE FILING DATE OF THIS APPLICATION THE PRIORITY OF WHICH WHERE PERMITTED IS HEREBY CLAIMED UNDER 35 U.S.C. SEC. 119.

| COUNTRY | APPLICATION OF NUMBER | DATE OF FILING (day, month, year) | DATE OF ISSUE (day, month, year) | PRIORITY CLAIMED | |
|---------|-----------------------|--------------------------------------|-------------------------------------|------------------|--|
| | | | | yes | |
| | | | | yes | |
| | | | | yes | |

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

131/200634.01

031600/1834/40827.00039

LOCATION: 650 856 3619

RX TIME 03/17 '00 10:58

| | | | | | |
|--|-------------------------|--|--|--|-------------------|
| COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued | | | | ATTORNEY'S DOCKET NO: 40827.00039 | |
| U.S. APPLICATION NO. | | U.S. FILING DATE | | PATENTED | |
| | | | | PENDING | |
| | | | | ABANDONED | |
| PCT APPLICATIONS DESIGNATING THE U.S. | | | | | |
| PCT APPLICATION NO. | | PCT FILING DATE | | U.S. SERIAL NUMBERS | |
| | | | | | |
| <p>POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or Agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.</p> <p>David L. Fehrmann, Reg. No. 28,600; David L. Manty, Reg. No. 31,323; William J. Robinson, Reg. No. 29,430; Stuart L. Merkadeau, Reg. No. 33,262; David B. Abel Reg. No. 32,394; Hisako Muramatsu, Reg. No. 34,955; Vincent J. Belusko, Reg. No. 30,820; Minds Schechter, Reg. No. 38,296; Victor De Gyartas, Reg. No. 40,583; Wayne Smith, Reg. No. 42,160; Stefan J. Kirchanski, Reg. No. 36,568; Alma P. Levy, Reg. No. 43,751; Martin M. Noonan, Reg. No. 44,264; David T. Yang, Reg. No. 44,415; Marc A. Sockol Reg. No. 40,823; Benjamin M. Rubin, Reg. No. 44,310; Martin S. Chizak, Reg. No. 39,940.</p> | | | | | |
| Send correspondence to | | GRAHAM & JAMES LLP 600 Hansen Way Palo Alto, CA 94304-1043 | | Direct Phone Calls To: Marc A. Sockol: 650-856-6500 | |
| 1 | FULL NAME OF INVENTOR | LAST NAME NG | FIRST NAME MASON | MIDDLE NAME -- | |
| | RESIDENCE & CITIZENSHIP | CITY Mountain View | STATE OR FOREIGN COUNTRY California | COUNTRY OF CITIZENSHIP US | |
| | POST OFFICE ADDRESS | STREET 217 Ada Avenue, #11 | CITY Mountain View | STATE OR COUNTRY CA | ZIP CODE 94043 |
| 2 | FULL NAME OF INVENTOR | LAST NAME MENDEZ | FIRST NAME DANIEL | MIDDLE NAME J. | |
| | RESIDENCE & CITIZENSHIP | CITY Menlo Park | STATE OR FOREIGN COUNTRY California | COUNTRY OF CITIZENSHIP US | |
| | POST OFFICE ADDRESS | STREET 275 Gloria Circle | CITY Menlo Park | STATE OR COUNTRY CA | ZIP CODE 94025 |
| 3 | FULL NAME OF INVENTOR | LAST NAME QUINLAN | FIRST NAME SEAN | MIDDLE NAME MICHAEL | |
| | RESIDENCE & CITIZENSHIP | CITY San Francisco | STATE OR FOREIGN COUNTRY California | COUNTRY OF CITIZENSHIP US | |
| | POST OFFICE ADDRESS | STREET 155 Haight Street, #211 | CITY San Francisco | STATE OR COUNTRY CA | ZIP CODE 94102 |
| 4 | FULL NAME OF INVENTOR | LAST NAME | FIRST NAME | MIDDLE NAME | |
| | RESIDENCE & CITIZENSHIP | CITY | STATE OR FOREIGN COUNTRY | COUNTRY OF CITIZENSHIP | |
| | POST OFFICE ADDRESS | STREET | CITY | STATE OR COUNTRY | ZIP CODE |
| <p>I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.</p> | | | | | |
| Signature Of Inventor 1 | | Signature Of Inventor 2 | | Signature Of Inventor 3 | |
| DATE | | DATE | | DATE | |
| x 3/17/00 | | | | | |

131/200634.01

031600/1834/40827.00039

LOCATION: 650 856 3619

RX TIME 03/17 '00 10:58